


## Datasheet

Next-generation technology and smart innovations for a more connected, keyless building experience.

**SALTO**  
inspired access



Publications of SALTO SYSTEMS S.L. are protected by copyright and all rights are reserved. SALTO SYSTEMS publications may not be reproduced in any form or by any means without written permission from the copyright owner.

### SALTO DBolt Touch DMx101

Technical specifications:

The SALTO DBolt Touch is a brand new electronic lock that implements the latest technology and the top level of functionality for multi-family housing and residential markets. The SALTO DBolt Touch offers a retrofit and smart locking solution for upgrading deadbolt mechanical locks in the residential market.

**saltosystems**  
**.com**

**TECHNICAL DATA:**

Outside housing dimensions (H x W x D):	6-5/16" x 2-11/16" x 1-13/16" 160 x 68 x 46 mm
Inside housing dimensions (H x W x D):	5-13/16" x 2-13/16" x 2-5/64" 148 x 72 x 52,7 mm
Weight:	1.5 kg
Thumbturn rotation:	Max. 90°
Door thicknesses:	1-3/8" - 3-11/32" 35 mm - 85 mm
Power source:	3 AA batteries (LR6 1,5V)
Number of openings:	Upto 85.000 operations depending on the technology and the platform
Maximum events on lock audit:	2 250 (SVN standalone mode) 1 850 (SVN BLUENet mode) 1 450 (SALTO KS mode)
Environmental conditions:	For indoor use +0 °C / +50 °C. without condensation.
Certifications:	FCC, IC, CE <sup>1</sup> ANSI/BHMA A156.40 - AAA UL10C: 180 min (metal doors)

<sup>1</sup> In progress

**OPENING MODES:**

Standard:	•
Office mode:	•
Timed office:	•
Automatic opening:	•
Automatic opening + office	•
Toggle:	•
Timed Toggle:	•
Amok mode:	—
Exit leaves open mode:	—
Pin code / Keypad:	•

**CREDENTIAL TECHNOLOGIES:**

JustIN Mobile Credentials <sup>1</sup> :	•
NXP MIFARE <sup>®2</sup> :	•
HID <sup>®3</sup> :	—
LEGIC <sup>®4</sup> :	—

<sup>1</sup> Bluetooth Digital Key and Near Field Communication (NFC) capability.

<sup>2</sup> MIFARE<sup>®</sup> DESFire<sup>®</sup> EV1/EV2/ EV3, MIFARE<sup>®</sup> Plus, MIFARE<sup>®</sup> Ultralight C, MIFARE<sup>®</sup> Classic.


<sup>3</sup> iCLASS<sup>®</sup>, Seos<sup>®</sup>.

<sup>4</sup> LEGIC Prime, LEGIC Advant.

**CORE TECHNOLOGIES:**

SVN Data-on-Card	•
BLUENet Wireless	•
JustIN Mobile	•
Apple Wallet	•

**TECHNICAL DRAWING:**



**SALTO PLATFORMS:**



SVN data-on-card	•	—	•
JustIN Mobile	•	•	•
BLUENet Wireless	• <sup>4</sup>	•	•
Apple Wallet	—	—	•

<sup>1</sup> SALTO Space. On-premise access control platform

<sup>2</sup> SALTO KS. Cloud-based access control platform

<sup>3</sup> SALTO Homelok. Cloud-based access control platform

<sup>4</sup> RFnet Wireless versions are not compatible

**FINISH:**

CS Satin Chrome - BHMA682 US26D	•
CP Polished Chrome - BHMA629 US26	•
PM PVD satin brass type - BHMA732 US4	•
PP PVD bright brass type - BHMA729 US3	•
NE Black chromium - BHMA685	•



---

## **SALTO Systems.**

Get in touch with our team.

Give us a brief summary of your needs, your next project and we'll get back to you.

Spain, UK, France, Germany, Switzerland, The Netherlands, Belgium, Poland, Slovakia, Slovenia, Czech Republic, Denmark, Norway, Sweden, Finland, Italy, Portugal, US (NYC - Atlanta - LV), Canada, Mexico, Costa Rica, Colombia, Puerto Rico, Chile, UAE, India, South Africa, Singapore, China, Hong Kong, Korea, Vietnam, Australia, New Zealand.

**saltosystems  
.com**